

Declaration of Performance

According to Annex III of EU Regulation №.305/2011
(Regulations for Construction Materials)

№: 1

1. Unique identification code of the product-type:

Welded hollow sections of structural steel S235JRH DIN EN 10219-1:2006

2. Type, batch or serial number or any other element allowing identification of construction product in accordance with Article 11(4):

Nominal size, batch number, strength grade: see marking on the product and in Quality Certificate

3. Intended use or uses of the construction product in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Cold-formed welded structural hollow sections of non-alloy and fine grain steels.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer, as required pursuant to Article 11(5):

PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

115, Suchkov str., city of Novomoskovsk, Dnepropetrovsk region, UKRAINE, 51200

Fax: +38 (05693) 4-23-23, E-mail: info@nmpp.interpipe.biz

5. Contact address of the authorized representative:

Supplier to EU countries: INTERPIPE EUROPE SA legal authorized representative of PJSC Interpipe NMPP for the EEA (European Economic Area), Via S.Salvatore 13 - P.O. Box 745, CH - 6902 Paradiso (Switzerland)

6. System or systems of assessment and verification of constancy of performance of the construction product as specified in Annex V:

System 2+

7. In case if declaration of performance concerns a construction product covered by a harmonized standard:

Notified body TÜV NORD Systems GmbH & Co. KG, code 0045, performed initial audit of manufacturer and plant quality system as well as current control, assessment and certification of plant quality system under System 2+, and issued the following document:

Certificate No. 0045-CPD-0616 dated of 01.07.2010

8. In case of declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

9. Declared performance:

Essential characteristics		Performance	Harmonized Technical Specification
Wall thickness, mm	≤16		
Yield strength Tensile strength Elongation Impact energy KV		235 MPa 360-510 MPa 24 ^a 27J	DIN EN 10219-1:2006
Tolerated dimensions and tolerances of the geometry		Table 2	DIN EN 10219-2:2006

^a For thickness > 3 mm size profile D / T < 15 (circular section), and (B + H) / 2 T < 12,5 (square or rectangular) minimum tensile decreases by a factor of 2. For wall thickness ≤ 3mm minimum is 17%.

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chairman of Board of PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»


Antipov Yu. N.
Novomoskovsk, 01.07.2013



Declaration of Performance

According to Annex III of EU Regulation №.305/2011
(Regulations for Construction Materials)

№: 2

1. Unique identification code of the product-type:

Welded hollow sections of structural steel S275J0H DIN EN 10219-1:2006

2. Type, batch or serial number or any other element allowing identification of construction product in accordance with Article 11(4):

Nominal size, batch number, strength grade: see marking on the product and in Quality Certificate

3. Intended use or uses of the construction product in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Cold-formed welded structural hollow sections of non-alloy and fine grain steels.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer, as required pursuant to Article 11(5):

PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

115, Suchkov str., city of Novomoskovsk, Dnepropetrovsk region, UKRAINE, 51200

Fax: +38 (05693) 4-23-23, E-mail: info@nmpp.interpipe.biz

5. Contact address of the authorized representative:

Supplier to EU countries: INTERPIPE EUROPE SA legal authorized representative of PJSC Interpipe NMPP for the EEA (European Economic Area), Via S.Salvatore 13 - P.O. Box 745, CH - 6902 Paradiso (Switzerland)

6. System or systems of assessment and verification of constancy of performance of the construction product as specified in Annex V:

System 2+

7. In case if declaration of performance concerns a construction product covered by a harmonized standard:

Notified body TÜV NORD Systems GmbH & Co. KG, code 0045, performed initial audit of manufacturer and plant quality system as well as current control, assessment and certification of plant quality system under System 2+, and issued the following document:

Certificate No. 0045-CPD-0616 dated of 01.07.2010

8. In case of declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

9. Declared performance:

Essential characteristics		Performance	Harmonized Technical Specification
Wall thickness, mm	≤16		
Yield strength		235 MPa	DIN EN 10219-1:2006
Tensile strength <3 ≥ 3 ≤ 40		430-580 MPa 410-560 MPa	
Elongation		20	
Impact energy KV		27J	
Tolerated dimensions and tolerances of the geometry		Table 2	DIN EN 10219-2:2006

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chairman of Board of PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

Antipov Yu. N.

 Novomoskovsk, 01.07.2013



Declaration of Performance

According to Annex III of EU Regulation №.305/2011
(Regulations for Construction Materials)

№: 3

1. Unique identification code of the product-type:

Welded hollow sections of structural steel S275J2H DIN EN 10219-1:2006

2. Type, batch or serial number or any other element allowing identification of construction product in accordance with Article 11(4):

Nominal size, batch number, strength grade: see marking on the product and in Quality Certificate

3. Intended use or uses of the construction product in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Cold-formed welded structural hollow sections of non-alloy and fine grain steels.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer, as required pursuant to Article 11(5):

PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

115, Suchkov str., city of Novomoskovsk, Dnepropetrovsk region, UKRAINE, 51200

Fax: +38 (05693) 4-23-23, E-mail: info@nmpp.interpipe.biz

5. Contact address of the authorized representative:

Supplier to EU countries: INTERPIPE EUROPE SA legal authorized representative of PJSC Interpipe NMPP for the EEA (European Economic Area), Via S.Salvatore 13 - P.O. Box 745, CH - 6902 Paradiso (Switzerland)

6. System or systems of assessment and verification of constancy of performance of the construction product as specified in Annex V:

System 2+

7. In case if declaration of performance concerns a construction product covered by a harmonized standard:

Notified body TÜV NORD Systems GmbH & Co. KG, code 0045, performed initial audit of manufacturer and plant quality system as well as current control, assessment and certification of plant quality system under System 2+, and issued the following document:

Certificate No. 0045-CPD-0616 dated of 01.07.2010

8. In case of declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

9. Declared performance:

Essential characteristics		Performance	Harmonized Technical Specification
Wall thickness, mm	≤16		
Yield strength		235 MPa	DIN EN 10219-1:2006
Tensile strength <3 ≥ 3 ≤ 40		430-580 MPa 410-560 MPa	
Elongation		20	
Impact energy KV		27J	
Tolerated dimensions and tolerances of the geometry		Table 2	DIN EN 10219-2:2006

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chairman of Board of PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

Андрій Ю. Н.

Novomoskovsk, 01.07.2013



Declaration of Performance

According to Annex III of EU Regulation №.305/2011
(Regulations for Construction Materials)

№: 4

1. Unique identification code of the product-type:

Welded hollow sections of structural steel S355J0H DIN EN 10219-1:2006

2. Type, batch or serial number or any other element allowing identification of construction product in accordance with Article 11(4):

Nominal size, batch number, strength grade: see marking on the product and in Quality Certificate

3. Intended use or uses of the construction product in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Cold-formed welded structural hollow sections of non-alloy and fine grain steels.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer, as required pursuant to Article 11(5):

PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

115, Suchkov str., city of Novomoskovsk, Dnepropetrovsk region, UKRAINE, 51200

Fax: +38 (05693) 4-23-23, E-mail: info@nmpp.interpipe.biz

5. Contact address of the authorized representative:

Supplier to EU countries: INTERPIPE EUROPE SA legal authorized representative of PJSC Interpipe NMPP for the EEA (European Economic Area), Via S.Salvatore 13 - P.O. Box 745, CH - 6902 Paradiso (Switzerland)

6. System or systems of assessment and verification of constancy of performance of the construction product as specified in Annex V:

System 2+

7. In case if declaration of performance concerns a construction product covered by a harmonized standard:

Notified body TÜV NORD Systems GmbH & Co. KG, code 0045, performed initial audit of manufacturer and plant quality system as well as current control, assessment and certification of plant quality system under System 2+, and issued the following document:

Certificate No. 0045-CPD-0616 dated of 01.07.2010

8. In case of declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

9. Declared performance:

Essential characteristics		Performance	Harmonized Technical Specification
Wall thickness, mm	≤16		
Yield strength		355 MPa	DIN EN 10219-1:2006
Tensile strength <3 ≥ 3 ≤ 40		510-680 MPa 470-630 MPa	
Elongation Impact energy KV		20 27J	
Tolerated dimensions and tolerances of the geometry		Table 2	DIN EN 10219-2:2006

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chairman of Board of PJSC «**INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT**»

Antipov Yu. N.

Novomoskovsk, 01.07.2013



Declaration of Performance

According to Annex III of EU Regulation №.305/2011
(Regulations for Construction Materials)

№: 5

1. Unique identification code of the product-type:

Welded hollow sections of structural steel S355J2H DIN EN 10219-1:2006

2. Type, batch or serial number or any other element allowing identification of construction product in accordance with Article 11(4):

Nominal size, batch number, strength grade: see marking on the product and in Quality Certificate

3. Intended use or uses of the construction product in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Cold-formed welded structural hollow sections of non-alloy and fine grain steels.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer, as required pursuant to Article 11(5):

PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

115, Suchkov str., city of Novomoskovsk, Dnepropetrovsk region, UKRAINE, 51200

Fax: +38 (05693) 4-23-23, E-mail: info@nmpp.interpipe.biz

5. Contact address of the authorized representative:

Supplier to EU countries: INTERPIPE EUROPE SA legal authorized representative of PJSC Interpipe NMPP for the EEA (European Economic Area), Via S.Salvatore 13 - P.O. Box 745, CH - 6902 Paradiso (Switzerland)

6. System or systems of assessment and verification of constancy of performance of the construction product as specified in Annex V:

System 2+

7. In case if declaration of performance concerns a construction product covered by a harmonized standard:

Notified body TÜV NORD Systems GmbH & Co. KG, code 0045, performed initial audit of manufacturer and plant quality system as well as current control, assessment and certification of plant quality system under System 2+, and issued the following document:

Certificate No. 0045-CPD-0616 dated of 01.07.2010

8. In case of declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

9. Declared performance:

Essential characteristics		Performance	Harmonized Technical Specification
Wall thickness, mm	≤16		
Yield strength		355 MPa	DIN EN 10219-1:2006
Tensile strength <3 ≥ 3 ≤ 40		510-680 MPa 470-630 MPa	
Elongation		20	
Impact energy KV		27J	
Tolerated dimensions and tolerances of the geometry		Table 2	DIN EN 10219-2:2006

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chairman of Board of PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

Antipov Yu. N.

Novomoskovsk, 01.07.2013



Declaration of Performance

According to Annex III of EU Regulation №.305/2011
(Regulations for Construction Materials)

№: 6

1. Unique identification code of the product-type:

Welded hollow sections of structural steel S355K2H DIN EN 10219-1:2006

2. Type, batch or serial number or any other element allowing identification of construction product in accordance with Article 11(4):

Nominal size, batch number, strength grade: see marking on the product and in Quality Certificate

3. Intended use or uses of the construction product in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Cold-formed welded structural hollow sections of non-alloy and fine grain steels.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer, as required pursuant to Article 11(5):

PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

115, Suchkov str., city of Novomoskovsk, Dnepropetrovsk region, UKRAINE, 51200

Fax: +38 (05693) 4-23-23, E-mail: info@nmpp.interpipe.biz

5. Contact address of the authorized representative:

Supplier to EU countries: INTERPIPE EUROPE SA legal authorized representative of PJSC Interpipe NMPP for the EEA (European Economic Area), Via S.Salvatore 13 - P.O. Box 745, CH - 6902 Paradiso (Switzerland)

6. System or systems of assessment and verification of constancy of performance of the construction product as specified in Annex V:

System 2+

7. In case if declaration of performance concerns a construction product covered by a harmonized standard:

Notified body TÜV NORD Systems GmbH & Co. KG, code 0045, performed initial audit of manufacturer and plant quality system as well as current control, assessment and certification of plant quality system under System 2+, and issued the following document:

Certificate No. 0045-CPD-0616 dated of 01.07.2010

8. In case of declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

9. Declared performance:

Essential characteristics		Performance	Harmonized Technical Specification
Wall thickness, mm	≤16		
Yield strength		355 MPa	DIN EN 10219-1:2006
Tensile strength <3 ≥ 3 ≤ 40		510-680 MPa 470-630 MPa	
Elongation		20	
Impact energy KV		40J	
Tolerated dimensions and tolerances of the geometry		Table 2	DIN EN 10219-2:2006

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chairman of Board of PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

Antipov Yu. N.
Novomoskovsk, 01.07.2013



Declaration of Performance

According to Annex III of EU Regulation №.305/2011
(Regulations for Construction Materials)

№: 7

1. Unique identification code of the product-type:

Non-Alloy steel tubes suitable for welding and threading S195T DIN EN 10255:2004+A1:2007

2. Type, batch or serial number or any other element allowing identification of construction product in accordance with Article 11(4):

Nominal size, batch number, strength grade: see marking on the product and in Quality Certificate

3. Intended use or uses of the construction product in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Non-Alloy steel tubes suitable for welding and threading.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer, as required pursuant to Article 11(5):

PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

115, Suchkov str., city of Novomoskovsk, Dnepropetrovsk region, UKRAINE, 51200

Fax: +38 (05693) 4-23-23, E-mail: info@nmpp.interpipe.biz

5. Contact address of the authorized representative:

Supplier to EU countries: INTERPIPE EUROPE SA legal authorized representative of PJSC Interpipe NMPP for the EEA (European Economic Area), Via S.Salvatore 13 - P.O. Box 745, CH - 6902 Paradiso (Switzerland)

6. System or systems of assessment and verification of constancy of performance of the construction product as specified in Annex V:

System 3

7. In case if declaration of performance concerns a construction product covered by a harmonized standard:

Notified body TÜV NORD Systems GmbH & Co. KG, code 0045, performed initial audit of manufacturer and plant quality system as well as current control, assessment and certification of plant quality system under System 3, and issued the following document:

Inspection Report: 1326WL25722 dated of 03.08.2012

8. In case of declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

9. Declared performance:

<i>Essential characteristics</i>	<i>Performance</i>	<i>Harmonized Technical Specification</i>
<i>Yield strength</i>	195 MPa	<i>DIN EN 10255:2004+A1:2007</i>
<i>Tensile strength</i>	320-520 MPa	
<i>Elongation</i>	20	
<i>Tolerated dimensions and tolerances of the geometry</i>	Table 2	<i>DIN EN 10255:2004+A1:2007</i>

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Chairman of Board of PJSC «INTERPIPE NOVOMOSKOVSK PIPE PRODUCTION PLANT»

Antipov Yu. N.

Novomoskovsk, 01.07.2013

